












19"	6U	9U	12U	15U
 <p>P: 400mm</p>	<p>GW 38 406 HxL: 335x600mm</p>	<p>GW 38 407 HxL: 470x600mm</p>	<p>GW 38 408 HxL: 605x600mm</p>	<p>GW 38 409 HxL: 740x600mm</p>
 <p>P: 600mm</p>			<p>GW 38 418 HxL: 605x600mm</p>	<p>GW 38 419 HxL: 740x600mm</p>

					
	GW 38 471	<p>GW 38 406 GW 38 407 GW 38 408 GW 38 409 GW 38 418 GW 38 419</p>		GW 38 590 6U	GW 38 406
	GW 38 473			GW 38 591 9U	GW 38 407
	GW 38 485			GW 38 592 12U	GW 38 408 GW 38 418
	GW 38 557			GW 38 593 15U	GW 38 409 GW 38 419
	GW 38 558				




1





Min. Ø8 mm

2




3








4



5







6




10mm

7





	A	B
6U	434 mm	113 mm
9U	434 mm	248 mm
12U	434 mm	383 mm
15U	434 mm	518 mm



C = 330 mm
D = 470 mm

Punto di contatto indicato in adempimento ai fini delle direttive e regolamenti UE applicabili:
Contact details according to the relevant European Directives and Regulations:

GEWISS S.p.A. Via A.Volta, 1 IT-24069 Cenate Sotto (BG) Italy tel: +39 035 946 111 E-mail: qualitymarks@gewiss.com



+39 035 946 111
8.30 - 12.30 / 14.00 - 18.00
lunedì ÷ venerdì - monday ÷ friday



+39 035 946 260



sat@gewiss.com
www.gewiss.com