




**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

## LED Interior 6000 K 26.8 mm W2.1x9.5d

NEOLUX LED retrofits upgrade vehicle interiors with modern, cold white light. NEOLUX LED retrofits replace most traditional auxiliary lamps with ease. The results are more than aesthetic. The long-lasting, affordable NEOLUX LED lamps use less energy than conventional lamps.



### Product family benefits

- Upgrade with the latest LED technology
- Modern look
- Better visibility
- Homogeneous illumination thanks to modern diffusor optics
- Longer replacement cycle

### Product family features

- Contemporary, cold white color temperature with 6,000 K
- High brightness
- Even light distribution
- Ideal fit thanks to compact dimensions
- Long lifetime

### Areas of application

- Interior lighting



NT1061CW-02B

**Product information**

Product type (off-road vs. on-road)	Off-road
Application (Category and Product specific)	Mainly used for signal/ indicator applications

**Electrical data**

Power input	0.78 W
Test voltage	13.5 V
Power input tolerance	±20 %
Nominal wattage	0.65 W
Nominal voltage	12.0 V

**Photometrical data**

Color temperature	6000 K
Luminous flux	35 lm
Luminous flux tolerance	±20 %
Light color LED	Cool white

**Dimensions & weight**

Diameter	10.0 mm
Product weight	1.94 g
Length	26.8 mm

**Lifespan**

Lifespan Tc	2000 h
Lifespan B3	2000 h

**Additional product data**

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

**Capabilities**

Technology	LED
------------	-----

**Certificates & standards**

ECE category	≅ W16W
--------------	--------

**Logistical data**

Order reference	NT1061CW-02B
-----------------	--------------

**Environmental information**

Date of Declaration	19-01-2022
Primary Article Identifier	4052899477216   4052899477230   4052899620063   4055462372871
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	58c04304-8778-46eb-94bb-87b552136005   77cf465e-b16b-40ee-951c-b80ad8cccdab   5585838e-c281-4546-afec-79c2e46d46fb

---

### Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
NT1061CW-02B	4052899477230	Blister	2

### Legal advice

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.



NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 6  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)