

# PRODUCT DATASHEET

## L 18 W/4000 K

Basic T8 | Tubular fluorescent lamps 26 mm, with G13 bases



## TECHNICAL DATA

### Electrical data

|                                     |   |
|-------------------------------------|---|
| Nominal wattage                     | 18 W  |
| Construction wattage                | 18.00 W   |
| Nominal voltage                     | 230 V   |
| Nominal current                     | 0.37 A  |
| Rated lamp efficacy (HF data 25 °C) | Under clarification by authority and standardization body |

### Photometrical data

|                                     |   |
|-------------------------------------|---|
| Luminous flux                       | 1200 lm   |
| Luminous efficacy                   | 66 lm/W   |
| Color temperature                   | 4000 K  |
| Light color                         | 40  |
| Rated lamp efficacy (HF data 25 °C) | Under clarification by authority and standardization body |

### Dimensions & Weight

|   |           |
|---|-----------|
| Overall length                              | 590.00 mm |
| Length with base excl. base pins/connection | 590,00 mm |
| Diameter                                    | 26.00 mm  |
| Tube diameter                               | 26 mm     |
| Product weight                              | 78.00 g   |

### Lifespan

|              |         |
|--------------|---------|
| Lifespan     | 13000 h |
| Service life | 5000 h  |

### Additional product data

|                             |        |
|-----------------------------|--------|
| Base (standard designation) | G13    |
| Mercury content             | 4.3 mg |

### Country-specific categorizations

|                 |                         |
|-----------------|-------------------------|
| ILCOS           | FD-18/34/3-E-G13-26/590 |
| Order reference | L 18W/640               |

### Energy labelling regulation data acc EU 2019/2015

|   |           |
|---|-----------|
| Light source cap-type (or other electric interface) | G13       |
| Length  | 590.00 mm |

|        |          |
|--------|----------|
| Height | 26.00 mm |
| Width  | 26.00 mm |

---

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.