

# PRODUCT DATASHEET

## Decor Tokio Table

Decor Tokio | Decorative luminaires with led integrated



---

### Areas of application

- Corridors
- Entrance areas
- Living rooms
- Bedrooms
- Offices

---

### Product benefits

- Elegant design
- Japanese design

---

### Product features

- 3000 K
- Housing material: metal
- Decorative Luminaire



---

## TECHNICAL DATA

### Electrical data


Nominal wattage	5.00 W
Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Nominal current	25.000 mA
Inrush current time $T_{h50}$	1900 $\mu$ s
Power factor $\lambda$	$\geq 0.5$
Protection class	II

### Photometrical data

Luminous flux	260 lm
Total luminous flux of contained light sources	420 lm
Luminous efficacy	52 lm/W
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	> 80
Standard deviation of color matching	6 sdc <sub>m</sub>
Photobiological safety group acc. to EN62778	RG1

### Dimensions & Weight

Length	160.00 mm
Width	150.00 mm
Height	440.00 mm
Product weight	830.00 g
Cable length	1800 mm



### Materials & Colors

Product color	Black
Housing color	Black
Body material	Steel
Mercury content	0.0 mg

### Application & Mounting

Ambient temperature range	-20...+40 °C
Type of connection	Plug type C (EU)
Type of protection	IP20
Dimmable	No
Mounting type	Standing
Application environment	Indoor
Adjustable	No
With light source	Yes

### Lifespan

Lifespan L70/B50 at 25 °C	30000 h <sup>1)</sup>
Number of switching cycles	30000

<sup>1)</sup> t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

### Certificates & Standards

Standards	CE
Ball shot safe	No

Replaceable light source (EPREL)

Not replaceable



## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

## DOWNLOAD DATA

	Documents and certificates	Document name
	User instruction / safety instructions	DECOR TOKIO
	Declarations of conformity	DECOR TOKIO TABLE

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075757042	Folding box 1	172 mm x 485 mm x 172 mm	1004.00 g	14.35 dm <sup>3</sup>
4058075757059	Shipping box 4	365 mm x 365 mm x 510 mm	4812.00 g	67.94 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.