

PRODUCT-DETAILS

P9PLNVJL

P9PLNVJL LED block



Algemene informatie

Type	P9PLNVJL
Artikelnummer	1SFA197009R1044
EAN	7320500523797
Omschrijving	P9PLNVJL LED block
Omschrijving	The P9PLNVJL LED block is: Modular metal - LED block - Permanent - Blue - Illuminated - Front mounting - 120 V This LED block is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range.

Ordering

Minimale bestelhoeveelheid	10 stuk
Nummer douanetarief	8539500000

Popular Downloads

Gegevensblad, technische informatie	1SFC151007C02__
Instructies en handleidingen	1SFC151011M0201

Dimensions

Product netto breedte	9.8 mm
Product netto hoogte	39.5 mm
Product netto diepte	56 mm
Product netto gewicht	0.03 kg

Technical

Omgevingsluchttemperatuur	Werking -30 ... 70 °C Opslag -40 ... +70 °C
Kleur	Blue
Verlichting	Illuminated
Lichtbron	120 VAC, Integrated LED
Functie	Permanent
Montagetype	Front mounting
Beschermingsgraad	Terminals IP20
Verontreinigingsgraad	3
Toegekende frequentie (f)	50 / 60 Hz
Nominaal bedrijfsvoltage	120 V AC
Verbindingscapaciteit	Flexible with Ferrule 1 x 0.75...2.5 mm ² Flexible with Ferrule 2 x 0.75...2.5 mm ² Flexible with Insulated Ferrule 1 x 0.75...2.5 mm ² Flexible with Insulated Ferrule 2 x 0.75...2.5 mm ² Flexible 1 x 0.75 ... 2.5 mm ² Flexible 2 x 0.75 ... 2.5 mm ² Solid 1 x 0.75...2.5 mm ² Solid 2 x 0.75...2.5 mm ²
Aansluitwijze	Schroefklem
Terminaltype	Schroef
Aanhaalmoment	0.9 N·m
Kabelstriplengte	8 mm

Technical UL/CSA

Verbindingscapaciteit	1x 18...14 AWG
UL/CSA	2x 18...14 AWG

Environmental

RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	2CMT2019-005862
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
AEEA B2C / B2B	Business To Business

Certificates and Declarations

BV-certificaat	2CMT2019-005867
CB-certificaat	2CMT2019-005874
CQC-certificaat	CQC2019010304237361
CSA-certificaat	2CMT2019-005868
cULus-certificaat	2CMT2019-005868
Declaration of Conformity - CCC	2020980304001528
Conformiteitsverklaring	2CMT2019-005862

- CE

Declaration of Conformity - UKCA	2CMT2020-006121
DNV GL-certificaat	2CMT2019-005876
RINA-certificaat	2CMT2019-005866
UL-certificaat	2CMT2019-005868

Container Information

Pakketniveau 1 Units	tas 1 stuk
Pakketniveau 1 Breedte	120 mm
Pakketniveau 1 Lengte	50 mm
Pakketniveau 1 Hoogte	180 mm
Pakketniveau 1 Brutogewicht	0.03 kg
Pakketniveau 1 EAN	7320500523797

Classifications

ETIM 7	EC000204 - Lamp holder block for control circuit devices
ETIM 8	EC000204 - Signaallamphouder
eClass	V11.0 : 27371209
UNSPSC	39122221
IGCC (IDEA granulaire categoriecode)	5219 >> Switch part or accessory
E-Number (Finland)	2314965

Categorieën

Laagspanningsproducten en -systemen → Control Producten → Druknoppen → Modular Metal Range P9M

