

Xenon Standard 35 W PK32d-5

The NEOLUX xenon headlight lamps are characterized by its long life and a light color and intensity to create a daylight effect. Thanks to a visibly better lit road, truck drivers can see, recognize, and react to hazards on the road sooner.



Product family benefits

- Better visibility
- Remarkable illumination
- More light enables drivers to see farther and thereby allows greater reaction time
- Longer replacement cycle
- Suitable for many xenon headlights


Product family features

- Clear white and bright light
- Focused light beam
- Light color and intensity create a daylight effect
- Long lifetime
- Good quality thanks to German technology

Areas of application

Headlight


Product datasheet



Nominal wattage	35.00 W	
Nominal voltage	42.0 V	
Photometrical data		
Color temperature	4300 K	
Dimensions & weight		
Product weight	60.20 g	
Length	83.2 mm	
Additional product data		
Base (standard designation)	PK32d-5	
Certificates & standards		
ECE category	D3S	
Logistical data		
Order reference	NX3S	
Environmental information		
Date of Declaration	11-03-2022	
Primary Article Identifier	4052899478763 4055462206800 4055462206886 4052899589339 4055462299086 4055462392459 4055462250483	
Candidate List Substance 1	Lead	
CAS No. of substance 1	7439-92-1	
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.	
Declaration No. in SCIP database	424b537d-8aa6-4d6f 8c26-c5bd7ab5966a 6854a5ed-d04b-4fa1 9db2-11355e5dad31 de94977f-573c-4866 925c-380b5e040508 a093c83f-1319-415a 89d0-8be9015a6e73	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
NX3S	4052899478763	Folding box	1



Safety advice

Xenon lamp change is recommended to be carried out by a professional and in pairs



NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com