

PRODUCT-DETAILS

ZLS203E64 ZLS203E64 Busbar



General Information	
Extended Product Type	ZLS203E64
Product ID	2CCF800246R0001
EAN	7612270018017
Catalog Description	ZLS203E64 Busbar
Long Description	Auxilary busbar 40A LA, LB 5x2mm galvanic plated for SMISSLINE TP-Touch proof system PLE64

Technical	
Standards	IEC/EN 61439-6
Type of Residual Current	standard version
Rated Operational Voltage	690/1000 V AC/DC
Rated Current (I _n)	40 A
Surface Finishing	Tinned
Options Provided	Busbar LA,LB
Model Number	Flat

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK107991A9646
Environmental Information	9AKK108467A9561
Conflict Minerals Reporting Template	9AKK108468A3363

ZLS203E64 2

(CMRT)

Dimensions	
Product Net Width	5 mm
Product Net Height	2 mm
Product Net Depth / Length	1148 mm
Product Net Weight	102 g
Dimension Diagram	9AKK107492A6192

Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece

Package Level 1 Gross
Weight

Certificates and Declarations Declaration of Conformity 9AKK107991A9646

Installation	
Instructions and Manuals	9AKK107680A2315

Popular Downloads	
Data Sheet, Technical Information	9AKK107492A6192

Classifications	
ETIM 8	EC001522 - Busbar
ETIM 9	EC001522 - Busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389040
eClass	V11.0 : 27370303
Object Classification Code	W

Categories

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow Plug-in Distribution Systems \rightarrow Plug-in Distribution Systems Accessories \rightarrow Accessories for Plug-in Distribution Systems 125A

ZLS203E64 3

