

PRODUCT-DETAILS

SSD-W1.1C

SSD-W1.1C Outdoor siren



General Information

Extended Product Type	SSD-W1.1C
Product ID	2CSY296961R0502
EAN	8012542969617
Catalog Description	SSD-W1.1C Outdoor siren
Long Description	The outdoor siren is a two-way self-powered device capable of emitting acoustic and light alarms. It is installed outdoor on a wall and is equipped with anti-opening, anti-removal, anti-perforation, anti-shock protection, as well as an anti-foaming patented system. Alarm sound type, duration, sound levels and LEDs, etc.can be configured and personalized while commissioning the system. Spare battery pack (Order code: 2CSY254991R0803).

Technical

Rated Voltage (U _r)	7.5 V
	12 A
Sound dB (A)	100 dB
Enclosure Type NEMA	Type2
Mounting Type	Surface Mounted
Housing Material	Plastic
Color	silver
Housing Color	Grey
Battery Chemical Composition	Alkaline Manganese
Battery Type	Portable

Battery Weight	0.7 kg
Number of Batteries	1

Environmental

Degree of Protection	IP55
----------------------	------

Dimensions

Product Net Width	270 mm
Product Net Height	245 mm
Product Net Depth / Length	125 mm
Product Net Weight	2.17 kg

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	2.2 kg
E-Number (Sweden)	1701259

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	2CSM600701D0901 2CSM600701D0902
--------------------------	------------------------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC000843 - Alarm signal
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85311030

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Intrusion Alarm Systems → Alarm System - secure@home → Signalling Devices (Wireless 868Mhz)

SSD-W1.1C

