

# LED GLS

WOJ+14645

Dimmable LED source LED GLS 8,5 W with E-27 base and in the shape of a traditional glass bulb. It is characterised by a high light efficacy 130 lm/W. Compatible with popular wall dimmers\*. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Wide beam angle 300° ensures even illumination of the room. \*Recommended dimmers: Berker 2867 10, Schneider SBD600RL, Simon S9L, Simon S9T, V-PRO.



|                 |                       |                    |               |
|-----------------|-----------------------|--------------------|---------------|
| Power           | <b>8,5 W</b>          | Voltage            | <b>230 V</b>  |
| Luminous flux** | <b>1100 lm (360°)</b> | Colour temperature | <b>2700 K</b> |
| Colour of light | <b>WW</b>             | Beam angle         | <b>300 °</b>  |
| Socket          | <b>E27</b>            |                    |               |

## Technical data


---

|                              |                                       |
|------------------------------|---------------------------------------|
| Code                         | WOJ+14545                             |
| Power                        | 8,5 W                                 |
| Nominal current              | 50 mA                                 |
| Voltage                      | 230 V                                 |
| Energy efficiency class      | E                                     |
| Energy consumption           | 9 kWh/1000h                           |
| Frequency                    | 50HZ Hz                               |
| Power factor                 | 0.7                                   |
| Useful luminous flux*        | 1100 lm (360°)                        |
| Luminous flux**              | 1100 lm (360°)                        |
| Lamp efficacy                | 130 lm/W                              |
| Colour temperature           | 2700 K                                |
| Colour of light              | WW                                    |
| Beam angle                   | 300 °                                 |
| RA                           | 80                                    |
| Uniformity of color SDCM max | 5                                     |
| Dimmable                     | Yes                                   |
| Working temperature range    | -20/+40 °                             |
| Lifespan                     | 17000 h                               |
| Socket                       | E27                                   |
| Dimension (AxBxC)            | 60x107 mm                             |
| For use                      | Inside                                |
| Application                  | INT                                   |
| Made in                      | PRC                                   |
| Other                        | WOJ+06586; Berker 2867 10,<br>2973; , |

## Related documents

---



 Declaration of Conformity

