


Product End of Life Instructions

TransferPacT Active automatic, 160A, 400V, 4P



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1, 2, 3, 4, 5, 6, 7, 8	PA6 GF30 FR17	9.48	plastic with brominated flame retardants
To be depolluted	9, 10	Electronic Board (Communication) > 10cm ²	175.22	2 PCBA, including all soldering parts.

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	TransferPacT Active automatic is transfer switching equipment (TSE) which to be used in power systems for transferring a load supply between a normal and an alternate source with a supply interruption during transfer.
Product reference	TA16D4L1604TPE
Total representative product mass	5650 g
Representative product dimensions	136mm x 400mm x 220mm
Accessories	No
Date of information release	11/2021



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No	
Recyclability potential	43%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI2108025_V1

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

11/2021