

PRODUCT-DETAILS

20 M-500

20 M-500 Flush Mounted Inserts French norm NF



General Information	
Extended Product Type	20 M-500
Product ID	2CKA002017A0854
EAN	4011395120125
Catalog Description	20 M-500 Flush Mounted Inserts French norm NF
Long Description	With screwless terminals. Suitable for the countries: Belgium, Poland, Czech Republic.

Installation	
Instructions and	No document needed
Manuals	

Technical	
Data Sheet, Technical Information	No document needed
Rated Voltage (U _r)	250 V
Auxiliary Voltage AC/DC	250 V AC/DC
Rated Current (In)	16 A
Frequency (f)	5050 Hz
Number of Phases	1
Number of Gangs	1

20 M-500 2

Connection Type	Plug Clamp
Mounting Type	Flush Mounted
Socket Outlet Type	Earthing Pin
Type of Fastening	Mounting with Claw Mounting with Screw
Surface Finishing	Untreated Glossy
Material	Duroplast
Label Space Provided	No
Legend	Without imprint
Model Number	French norm NF
Color	not program-bound

Environmental	
Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CKA200000E3845
REACH Declaration	2CKA30999E9999
SCIP	11a12ccc-25b9-433d-b663-ceb7c8b64b72 Czech Republic (CZ)
Simplified SCIP	11a12ccc-25b9-433d-b663-ceb7c8b64b72 Czech Republic (CZ)

Technical UL/CSA	
Short-Circuit Current	0 kA
Rating (SCCR)	

Dimensions	
Product Net Width	12 mm
Product Net Height	32 mm
Product Net Depth / Length	71 mm
Product Net Weight	49 g
Built-In Depth (t ₂)	32 mm

Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	carton 10 piece
Package Level 1 Gross Weight	0.59 kg
Customs Tariff Number	85366990
Country of Origin	Czech Republic (CZ)

Certificates and Declarations	
Declaration of	2CKA100000E3069
Conformity - CE	

Classifications	
ETIM 8	EC000125 - Socket outlet

20 M-500 3

ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 69 90
eClass	V11.0 : 27144042

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Flush\ Mounted\ Inserts \rightarrow Mechanical\ Inserts$









