

# NYMPHEA BLACK & WHITE


SLI031037WW\_PW



See  
more

Plafond NYMPHEA BLACK & WHITE, with a power of 40 W, high light efficacy 133 lm/W. It has a high IP54 rating, making it ideal for use in rooms with high humidity. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed for surface mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.

IP54



Power	<b>40 W</b>	Voltage	<b>230 V</b>
Luminous flux*	<b>5300 lm (360°)</b>	Colour temperature	<b>3000 K</b>
Colour of light	<b>WW</b>	Beam angle	<b>115 °</b>
Degree of protection (IP)	<b>IP54</b>		

## Technical data


---

Code	SLI031037WW_PW
Power	40 W
Nominal current	177 mA
Voltage	230 V
Energy consumption	40 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.6
Useful luminous flux*	5300 lm (360°)
Luminous flux**	3000 lm (360°)
Lamp efficacy	133 lm/W
Luminous intensity	1190 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	485x70 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC

## Related documents

---



 User manual



 Declaration of Conformity



 Photometric file

