


# ALLDAY INSPIRE ONE

WQJP11435



See  
more

LED luminaire ALLDAY INSPIRE ONE, with a power of 30 W, high light efficacy 145 lm/W. It is part of the ALLDAY INSPIRE series, which is characterised by modern design, high-quality materials and a wide range of components and accessories that allow for the personalisation of the luminaires. It is made of high-quality components, supported by a 5-year warranty. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Narrow beam angle 90° gives directional light so that selected objects or surfaces can be better exposed. Suitable for both surface and suspended mounting.



|                    |               |                           |                      |
|--------------------|---------------|---------------------------|----------------------|
| Power              | <b>30 W</b>   | Voltage                   | <b>230 V</b>         |
| Colour temperature | <b>4000 K</b> | Colour of light           | <b>Neutral white</b> |
| Beam angle         | <b>90 °</b>   | Degree of protection (IP) | <b>IP20</b>          |

## Technical data

---

|                              |                           |
|------------------------------|---------------------------|
| Code                         | WQJP11435                 |
| Power                        | 30 W                      |
| Nominal current              | 167 mA                    |
| Voltage                      | 230 V                     |
| Energy consumption           | 30 kWh/1000h              |
| Frequency                    | 50HZ Hz                   |
| Protection class             | I                         |
| Power supply included        | Yes                       |
| Manufacturer of power supply | OSRAM                     |
| Power factor                 | 0.93                      |
| Useful luminous flux*        | 4350 lm (360°)            |
| Luminous flux**              | 3675 lm (360°)            |
| Lamp efficacy                | 145 lm/W                  |
| Colour temperature           | 4000 K                    |
| Colour of light              | Neutral white             |
| Beam angle                   | 90 °                      |
| RA                           | 80                        |
| Light source included        | +                         |
| Producer of LED diodes       | SAMSUNG                   |
| Uniformity of color SDCM max | 3                         |
| Dimmable                     | 1-10V                     |
| Working temperature range    | -20/+40 °                 |
| Lifespan                     | 50000 h                   |
| Housing material             | Aluminum                  |
| Degree of protection (IP)    | IP20                      |
| Colour                       | White                     |
| Dimension (AxBxC)            | 1120X44X74 mm             |
| For use                      | Inside                    |
| Assembly method              | On the ceiling, Suspended |
| Application                  | Inside                    |
| Made in                      | PL                        |
| Other                        | L90B10 - 74000h ,         |

## Related documents

---



 Declaration of Conformity

