

PRODUCT-DETAILS

5520227054/13 EVA-DWO/LB400



General Information	
Extended Product Type	5520227054/13
Product ID	7TCA091160R0377
EAN	8713812763866
Catalog Description	EVA-DWO/LB400
Long Description	Self-contained 2 watt, white maintained surface mount led luminaire, including automatic self test LB400, series Evago. Light distribution: wide (W), for example canteens, RAL9003

Technical	
Application	Architectural
Function	Escape route lighting
Rated Voltage (U _r)	220 240 V
Input Voltage Type	AC
Power Supply Type	Peripheral (Individual Battery)
Number of Poles	4
Number of Lamps	1
Number of Lighting Heads	1
Functional Testing Capability	Automatic Self Test

5520227054/13 2

Wiring Configuration	Wiring system: Continuous circuit/emergency circuit Type of wiring: Suitable for through wiring	
Ballast Type	Current Controlled	
Connection Type	Pluggable	
Lamp Type	LED not exchangeable	
Light Distribution Type	Focal Lens	
Mounting Type	Ceiling surface mounting	
Cover Material	Plastic, Transparent	
Housing Material	Aluminium	
Illuminance	245 Im	
Housing Color	White	
Battery Chemical Composition	Nickel-Metal Hydride	
Battery Type	Industrial	
Battery Weight	200 g	
Number of Batteries	4	
	5600-5600 K	
Environmental		
Ambient Temperature	5 35 °C	
Degree of Protection	IP54	
Dimensions		
Product Net Width	150 mm	
Product Net Height	35 mm	
Product Net Depth / Length	150 mm	
Product Net Weight	1.83015 lb 830 g	
Outside		
Ordering		
Minimum Order Quantity	1 piece	
Package Level 1 Units	box 1 piece	
Package Level 1 Gross Weight	0.959 kg	
UPC	075114246934	
Certificates and Declarations		
Declaration of Conformity - CE	7TKK001171	
Installation		

5520227054/13 3

Pο	nular	Down	loads
	pulai	DOWIN	oaus

Data Sheet, Technical 9AKK107992A9762
Information 9AKK107992A9762

Classifications

Ciacomoationo		
ETIM 8	EC001957 - Emergency luminaire	
ETIM 9	EC001957 - Emergency luminaire	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Business	
CN8	9405409100	
UNSPSC	39111709	
eClass	V11.0 : 27110305	
IDEA Granular Category Code (IGCC)	3940 >> Emergency light unit	

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Emergency\ Lighting$

