

PRODUCT-DETAILS

MSA-F-1.1.1-803-WL

MSA-F-1.1.1-803-WL WL-Mov. detector/act. 1g



Informations générales

Extension du type de produit	MSA-F-1.1.1-803-WL
Code de produit	2CKA006200A0094
EAN	4011395215845
Description courte	MSA-F-1.1.1-803-WL WL-Mov. detector/act. 1g
Description longue	With select lens for detection with animal access. Communication with the free@home system is carried out wireless. For automatic switching of ABB-free@home® actuators dependent on movement and brightness. Switch-off delay of the actuator can be programmed via the web interface of the System Access Point. For switching 230 V~ consumers. With integrated switch actuator. Switching function is available also without prior programming (pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). 3 wire connection (neutral conductor required). With 230 V extension unit input (On/Off). With fixing claws.

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	2CKA001473B9110
--	-----------------

Tension nominale (U _r)	230 V
Auxiliary Voltage AC/DC	230 V AC/DC
Courant nominal (I _n)	10 A
Fréquence assignée (f)	50 ... 60 Hz
Maximum Switching Power	2300 W
Nombre de sorties	1
Number of Channels	1
Compatible Bus Systems	free@home
Product Range	free@home
Design Range	63x63 Busch-axcent Busch-axcent pur solo
Minimum Switching Time	Switch-On 30 second [unit of time]
Type de charge	ohmic
Type de montage	Flush Mounted
Finition de surface	Surface protection: Lacquered Surface finishing: Glossy
Matériau	Thermoplastic
Type d'encastrement	vertical
Model Number	Movement sensor
Couleur	grey metallic
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Informations RoHS	9AKK104295D8727
REACH Declaration	2CKA309999E9999

Dimensions

Produit Largeur Net	71 mm
Produit Hauteur Net	71 mm
Produit Longueur Net	56 mm
Poids net	100 g
Profondeur d'encastrement (t ₂)	32 mm

Commande

Quantité minimum	1 pièce
Emballage Niveau 1	carton 1 pièce

Unités

Emballage Niveau 1 Poids	0.2 kg
Code douanier	85365080
ID Produit de remplacement (NOUVEAU)	2CKA006800A3042 2CKA006200A0174
Pays d'origine	Germany (DE)

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E0625
-----------------------------------	-----------------

Classifications

ETIM 8	EC001582 - Movement sensor for bus system
ETIM 9	EC001582 - Movement sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143144

Catégories

Produits basse tension → Home and Building Automation → free@home → User Operation → Solo → Motion Detectors

