



CorePro Plastic LEDbulbs



LEDbulb ND 8-60W A60 E27 840 2CT

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
EU RoHS compliant	Yes
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	806 lumen
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	100 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM)	1

Stroboscopic effect value (SVM)	0.4	
Photobiological safety according to EN 62471	RG1	
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	8 W	
Lamp Current (Nom)	70 mA	
Wattage Equivalent	60 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.54	
Voltage (Nom)	220-240 V	
Temperature		
Ambient temperature range	-20 °C to 45 °C	
T-Case Maximum (Nom)	95 °C	

Datasheet, 2023, October 19 data subject to change

CorePro Plastic LEDbulbs

Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Frosted	
Bulb Material	Plastic	
Bulb Shape	A60 [A 60mm]	
Approval and Application		
Energy Efficiency Class	F	
Energy Consumption kWh/1000 h	8 kWh	
EPREL Registration Number	397612	
EyeComfort	Yes	


871951447097200
LEDbulb ND 8-60W A60 E27 840 2CT
929002306362
1
6
929002306362
LEDbulb ND 8-60W A60 E27 840 2CT
8719514470989
8719514470972


Dimensional drawing



Product	D	С
LEDbulb ND 8-60W A60 E27 840 2CT	60 mm	108 mm

Photometric data






Spectral Power Distribution Colour - LEDbulb ND 8-60W A60 E27 840 2CT

Light Distribution Diagram - LEDbulb ND 8-60W A60 E27 840 2CT

CorePro Plastic LEDbulbs


Photometric data



Calculat Photometria 45 Philips Lighting B.V. Page

General uniform lighting - LEDbulb ND 8-60W A60 E27 840 2CT

Lifetime



Life Expectancy Diagram - LEDbulb ND 8-60W A60 E27 840 2CT

Lumen Maintenance Diagram - LEDbulb ND 8-60W A60 E27 840 2CT



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.