

PRODUCT DATASHEET

64320

Halogen lamps, current-controlled, single-ended | Halogen lamps, current-controlled, single-ended



TECHNICAL DATA

Electrical data

Nominal wattage	45 W
Construction wattage	45.00 W
Nominal current	6.6 A

Photometrical data

Luminous flux	875 lm
Luminous efficacy	19 lm/W
Color temperature	3200 K
Color rendering index Ra	100
Light color	1032

Dimensions & Weight

Overall length	44.50 mm
Light center length (LCL)	25,4 mm
Diameter	11.5 mm
Product weight	11.17 g

Lifespan

Lifespan	1500 h
----------	--------

Additional product data

Base (standard designation)	GZ9.5
Mercury content	0.0 mg

Capabilities

Burning position	s90
------------------	-----

Country-specific categorizations

Order reference	64320 45W GZ9.5
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015



Light source cap-type (or other electric interface)	GZ9.5
Length	44.50 mm
Height	11.5 mm
Width	11.5 mm

Safety advice

– To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms

(protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

DOWNLOAD DATA

DOWNLOAD DATA	
	PRODUCT DATASHEET
	Advertisements

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321100122	Folding box 1	111 mm x 42 mm x 42 mm	21.00 g	0.20 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For more information on airfield lamps see the brochure: "The reliable guiding stars - Effective solutions for airfield lighting: Tungsten halogen lamps and LED light sources".

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.